

OPN-CHEMIE OTTO PETRI GmbH

Produktion techn. Aerosole - Sprays

In der Au 14, D-57290 Neunkirchen / Germany

Phone: +49 (0) 27 35 / 77 25-0 Fax: +49 (0) 27 35 / 77 25-90

www.opn-chemie.de info@opn-chemie.de



Product Information

OPN-Ceramic Paste

- **white and metal-free**
- **extremely temperature resistant**
- **prevents burning and reduces wear**

Properties:

- white high-performance assembly paste
- prevents corrosion, burning, rusting, cold welding and reduces wear
- high adhesion, non-conductive
- use at high and low temperatures
- **working temperature ranges:**
 - as release agent about -20°C to about + 1,400°C
 - as a lubricant about -20°C to about + 240°C
- resistant to water
- enables easy disassembly of heat-stressed screw connections

Application Range:

- for use in **industry, construction, crafts etc.**

Application:

Our information are recommendations based on our experience. We accept no liability for any damage without tests concerning suitability for the specific application, without preliminary trials and if the products is misused. Process at room temperature. Remove residues, dirt and moisture from surfaces before use. Apply the active ingredient evenly and thinly with a brush or spatula.

Only for professional use! Always observe safety data sheet before use.

CAUTION: NOT approved for use on brake systems!

Delivery information: Art.-No. 66077

Brush can: 500 ml Content, Packing Unit: 12 Cans/Carton

Observe the information on the label and of the EC-safety data sheet!

Our technical information has been compiled carefully to the best of our knowledge. Because of the many possible influences during processing and use of the products they do not relieve the processor of its own, conscientious exams! A legally binding assurance of certain properties or of the suitability for a particular purpose can not be derived from our information. Existing laws and regulations must be checked and observed from the processor of our products before use in his own responsibility.

All text passages are subject to the copyright of OPN-CHEMIE OTTO PETRI GmbH.