

OPN-CHEMIE OTTO PETRI GmbH

Produktion techn. Aerosole - Sprays

In der Au 14, D-57290 Neunkirchen / Germany

Phone: +49 (0) 27 35 / 77 25-0 Fax: +49 (0) 27 35 / 77 25-90

www.opn-chemie.de info@opn-chemie.de



Product Information

OPN-Leak Detector

DIN-DVGW-Reg.-No. NG-5170BR5843

for locating leaks in compressed air and gas-line systems

Properties:

- non-flammable

Application Range:

- for locating leaks in compressed air and gas-line systems
- inspection of pipes, hoses, fittings, valves, brazed, screwed or welded joints etc.
- can also be used for flammable gases

Application:

Our information are recommendations based on our experience. We accept no liability for any damage without tests concerning suitability for the specific application, without preliminary trials and if the products is misused. The parts to be tested must be under pressure. Shake can well before use. Spray suspicious areas, blister formation indicates leak. Clean plastic and copper cables and anodized surfaces carefully with clean water immediately after testing.

Do not be spray into oxygen-carrying pipes. Protect from frost – store at room temperature.

For batch code see floor-coding.

Only for professional use! Always observe safety data sheet before use.

Delivery information: Art.-No. 62021

Spray: 400 ml Content, Packing Unit: 12 Cans/Carton

Observe the information on the label and of the EC-safety data sheet!

Our technical information has been compiled carefully to the best of our knowledge. Because of the many possible influences during processing and use of the products they do not relieve the processor of its own, conscientious exams! A legally binding assurance of certain properties or of the suitability for a particular purpose can not be derived from our information. Existing laws and regulations must be checked and observed from the processor of our products before use in his own responsibility.

All text passages are subject to the copyright of OPN-CHEMIE OTTO PETRI GmbH.