



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 64 (replaces version 63)

Revision: 28.02.2022

**Trade name: OPN-PU-Foam-Cleaner-Spray**

(Contd. of page 1)

- P211 Do not spray on an open flame or other ignition source.  
 P251 Do not pierce or burn, even after use.  
 P261 Avoid breathing vapours or spray.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves / eye protection / face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312 Call a POISON CENTER/doctor if you feel unwell.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.  
 P501 Dispose of contents/container to hazardous or special waste collection point.

**Additional information:**

- EUH066 Repeated exposure may cause skin dryness or cracking.  
 Buildup of explosive mixtures possible without sufficient ventilation.

**2.3 Other hazards**
**Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

|  |  |          |
|--|--|----------|
| CAS: 67-64-1<br>EINECS: 200-662-2<br>Reg.nr.: 01-2119471330-49-xxxx  | acetone<br>Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066 | 50-<100% |
| CAS: 124-38-9<br>EINECS: 204-696-9                                   | carbon dioxide<br>substance with a Community workplace exposure limit      | 2.5-<5%  |
| CAS: 74-98-6<br>EINECS: 200-827-9<br>Reg.nr.: 01-2119486944-21-xxxx  | propane<br>Flam. Gas 1A, H220; Press. Gas (Comp.), H280                    | 2.5-<5%  |
| CAS: 106-97-8<br>EINECS: 203-448-7<br>Reg.nr.: 01-2119474691-32-xxxx | butane, pure<br>Flam. Gas 1A, H220; Press. Gas (Comp.), H280               | 2.5-<5%  |
| CAS: 75-28-5<br>EINECS: 200-857-2<br>Reg.nr.: 01-2119485395-27-xxxx  | isobutane<br>Flam. Gas 1A, H220; Press. Gas (Comp.), H280                  | 1-<2.5%  |

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**
**After inhalation:**

- Supply fresh air; consult doctor in case of complaints.  
 Take affected persons into fresh air and keep quiet.

**After skin contact:**

- Immediately wash with water and soap and rinse thoroughly.  
 Immediately remove any clothing soiled by the product.

**After eye contact:**

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** Do not induce vomiting; call for medical help immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

- Breathing difficulty  
 Headache

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 64 (replaces version 63)

Revision: 28.02.2022

**Trade name: OPN-PU-Foam-Cleaner-Spray**

(Contd. of page 2)

Dizziness  
Dizziness  
Nausea

· **4.3 Indication of any immediate medical attention and special treatment needed**

If swallowed or in case of vomiting, danger of entering the lungs.  
Later observation for pneumonia and pulmonary oedema.

\* **SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

Fire-extinguishing powder  
Carbon dioxide  
Foam

· **5.2 Special hazards arising from the substance or mixture** Can form explosive gas-air mixtures.

· **5.3 Advice for firefighters**

· **Protective equipment:** Wear self-contained respiratory protective device.

· **Additional information**

Cool endangered receptacles with water spray.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

\* **SECTION 6: Accidental release measures**

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Keep away from ignition sources.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.  
Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

\* **SECTION 7: Handling and storage**

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.  
Avoid contact with skin and eyes.

· **Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.  
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Observe official regulations on storing packagings with pressurised containers.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Protect from heat and direct sunlight.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 64 (replaces version 63)

Revision: 28.02.2022

Trade name: **OPN-PU-Foam-Cleaner-Spray**

(Contd. of page 3)

· **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.2 Exposure controls

##### · **Ingredients with limit values that require monitoring at the workplace:**

###### **CAS: 67-64-1 acetone**

|     |   |
|-----|---|
| WEL | Short-term value: 3620 mg/m <sup>3</sup> , 1500 ppm |
|     | Long-term value: 1210 mg/m <sup>3</sup> , 500 ppm   |

###### **CAS: 124-38-9 carbon dioxide**

|     |   |
|-----|---|
| WEL | Short-term value: 27400 mg/m <sup>3</sup> , 15000 ppm |
|     | Long-term value: 9150 mg/m <sup>3</sup> , 5000 ppm    |

###### **CAS: 106-97-8 butane, pure**

|     |  |
|-----|--|
| WEL | Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm |
|     | Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm  |
|     | Carc (if more than 0.1% of buta-1.3-diene)         |

##### · **DNELs**

###### **CAS: 67-64-1 acetone**

|            |      |                            |
|------------|------|----------------------------|
| Oral       | DNEL | 62 mg(kg (ME)              |
| Inhalative | DNEL | 200 mg/m <sup>3</sup> (ME) |

· **Additional information:** The lists valid during the making were used as basis.

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

· **Recommended filter device for short term use:** Filter AX

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Safety glasses

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 64 (replaces version 63)

Revision: 28.02.2022

Trade name: OPN-PU-Foam-Cleaner-Spray

(Contd. of page 4)



Tightly sealed goggles

· **Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

|  |                          |
|--|--------------------------|
| · Physical state   | Aerosol                  |
| · Colour:  | Colourless               |
| · Odour:   | Acetone-like             |
| · Odour threshold:   | Not determined.          |
| · Melting point/freezing point:                            | Undetermined.            |
| · Boiling point or initial boiling point and boiling range | <0 °C                    |
| · Flammability   | Not applicable.          |
| · Lower and upper explosion limit                          |                          |
| · Lower:   | Not determined.          |
| · Upper:   | Not determined.          |
| · Flash point:   | <0 °C                    |
| · Ignition temperature:                                    | >200 °C                  |
| · Decomposition temperature:                               | Not determined.          |
| · pH   | Not determined.          |
| · Viscosity:   |                          |
| · Kinematic viscosity                                      | Not determined.          |
| · Dynamic:   | Not determined.          |
| · Solubility   |                          |
| · water:   | Fully miscible.          |
| · Partition coefficient n-octanol/water (log value)        | Not determined.          |
| · Vapour pressure:   | Not determined.          |
| · Density and/or relative density                          |                          |
| · Density at 20 °C:  | 0.7813 g/cm <sup>3</sup> |
| · Relative density   | Not determined.          |
| · Vapour density   | Not determined.          |

#### · 9.2 Other information

|   |                 |
|---|-----------------|
| · Appearance:   |                 |
| · Form:   | Aerosol         |
| · Important information on protection of health and environment, and on safety. |                 |
| · Auto-ignition temperature:  | Not determined. |
| · Explosive properties:   | Not determined. |
| · Solvent separation test:  |                 |
| · Organic solvents:   | 96.2 %          |
| · VOC (EC)  | 751.3 g/l       |
| · Solids content:   | 0.0 %           |
| · Change in condition   |                 |
| · Evaporation rate  | Not applicable. |

#### · Information with regard to physical hazard classes

|                   |  |
|-------------------|--|
| · Explosives      | Void   |
| · Flammable gases | Void   |
| · Aerosols        | Extremely flammable aerosol. Pressurised container: May burst if heated. |

(Contd. on page 6)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 64 (replaces version 63)

Revision: 28.02.2022

Trade name: OPN-PU-Foam-Cleaner-Spray

(Contd. of page 5)

|   |      |
|---|------|
| · Oxidising gases   | Void |
| · Gases under pressure  | Void |
| · Flammable liquids   | Void |
| · Flammable solids  | Void |
| · Self-reactive substances and mixtures                                     | Void |
| · Pyrophoric liquids  | Void |
| · Pyrophoric solids   | Void |
| · Self-heating substances and mixtures                                      | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids   | Void |
| · Oxidising solids  | Void |
| · Organic peroxides   | Void |
| · Corrosive to metals   | Void |
| · Desensitised explosives   | Void |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**

#### · LD/LC50 values relevant for classification:

##### CAS: 67-64-1 acetone

|            |          |                       |
|------------|----------|-----------------------|
| Oral       | LD50     | 5,800 mg/kg (rat)     |
| Dermal     | LD50     | 20,000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | ~76 mg/l (rat)        |

##### CAS: 74-98-6 propane

|            |          |                |
|------------|----------|----------------|
| Inhalative | LC50/4 h | >20 mg/l (rat) |
|------------|----------|----------------|

##### CAS: 106-97-8 butane, pure

|            |          |                |
|------------|----------|----------------|
| Inhalative | LC50/4 h | 658 mg/l (rat) |
|------------|----------|----------------|

##### CAS: 75-28-5 isobutane

|            |          |                |
|------------|----------|----------------|
| Inhalative | LC50/4 h | 658 mg/l (rat) |
|------------|----------|----------------|

- **Serious eye damage/irritation** Causes serious eye irritation.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **11.2 Information on other hazards**

#### · Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 64 (replaces version 63)

Revision: 28.02.2022

Trade name: OPN-PU-Foam-Cleaner-Spray

(Contd. of page 6)



### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR/RID/ADN, IMDG, IATA</b></li> </ul>                                    | <p>UN1950</p>  |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR/RID/ADN</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul> | <p>UN1950 AEROSOLS<br/>AEROSOLS<br/>AEROSOLS, flammable</p>  |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR/RID/ADN</b></li> </ul>  | <div style="text-align: left; padding-left: 20px;">  </div> |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | <p>2 5F Gases.<br/>2.1</p>   |
|   |  |
| <ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>   | <div style="text-align: left; padding-left: 20px;">  </div> |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | <p>2.1 Gases.<br/>2.1</p>  |

(Contd. on page 8)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 64 (replaces version 63)

Revision: 28.02.2022

Trade name: OPN-PU-Foam-Cleaner-Spray

(Contd. of page 7)

|   |  |
|---|--|
| · 14.4 Packing group<br>· ADR/RID/ADN, IMDG, IATA   | Void   |
| · 14.5 Environmental hazards:<br>· Marine pollutant:  | No   |
| · 14.6 Special precautions for user<br>· Hazard identification number (Kemler code):<br>· EMS Number:<br>· Stowage Code<br><br>· Segregation Code | Warning: Gases.<br>-<br>F-D,S-U<br>SW1 Protected from sources of heat.<br>SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.<br>SG69 For AEROSOLS with a maximum capacity of 1 litre:<br>Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivision of class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivision of class 2. |
| · 14.7 Maritime transport in bulk according to IMO instruments  | Not applicable.  |
| · Transport/Additional information:   |  |
| · ADR/RID/ADN<br>· Limited quantities (LQ)<br>· Excepted quantities (EQ)<br><br>· Transport category<br>· Tunnel restriction code                 | 1L<br>Code: E0<br>Not permitted as Excepted Quantity<br>2<br>D   |
| · IMDG<br>· Limited quantities (LQ)<br>· Excepted quantities (EQ)   | 1L<br>Code: E0<br>Not permitted as Excepted Quantity   |
| · UN "Model Regulation":  | UN 1950 AEROSOLS, 2.1  |

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 64 (replaces version 63)

Revision: 28.02.2022

**Trade name: OPN-PU-Foam-Cleaner-Spray**

(Contd. of page 8)

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- EUH066 Repeated exposure may cause skin dryness or cracking.

· **Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- DNEL: Derived No-Effect Level (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Gas 1A: Flammable gases – Category 1A
- Aerosol 1: Aerosols – Category 1
- Press. Gas (Comp.): Gases under pressure – Compressed gas
- Flam. Liq. 2: Flammable liquids – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**