


Version number 40 (replaces version 39)

Revision: 27.05.2021



Printing date 02.03.2022

Version number 40 (replaces version 39)

Revision: 27.05.2021

Trade name: OPN-Cooling Spray

• **vPvB:** Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25-<50%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	butane, pure Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25-<50%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	20-<25%
· Additional information: For the	wording of the listed hazard phrases refer to section 16.	•

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Take affected persons into fresh air and keep quiet.

· After skin contact:

Seek medical treatment.

Immediately wash with water and soap and rinse thoroughly.

Immediately remove any clothing soiled by the product.

· After eye contact:

Seek immediate medical advice.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Fire-extinguishing powder
- Carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

Foam

- 5.2 Special hazards arising from the substance or mixture Can form explosive gas-air mixtures.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information
- Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

GR

Printing date 02.03.2022

Version number 40 (replaces version 39)

Revision: 27.05.2021

Trade name: OPN-Cooling Spray

(Contd. of page 2)

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- Keep away from ignition sources.
- 6.2 Environmental precautions: No special measures required.

 • 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- **6.4 Reference to other sections** See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

 \cdot 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid contact with skin and eyes.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
 Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from heat and direct sunlight.
- \cdot 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

•	8.2	Exposure	controls
---	-----	----------	----------

· Ingredients with limit values that require monitoring at the workplace:

CAS: 106-97-8 butane, pure

- WEL Short-term value: 1810 mg/m³, 750 ppm
 - Long-term value: 1450 mg/m³, 600 ppm
 - Carc (if more than 0.1% of buta-1.3-diene)

• Additional information: The lists valid during the making were used as basis.

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- **Respiratory protection:** Not necessary if room is well-ventilated.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

Printing date 02.03.2022

Version number 40 (replaces version 39)

Revision: 27.05.2021

(Contd. of page 3)

Trade name: OPN-Cooling Spray

application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection Not required.

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical p General Information 	properties
	A
· Physical state	Aerosol
Colour:	Colourless
· Odour:	Recognisable
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.
· Boiling point or initial boiling point and boiling	
range	Not applicable, as aerosol.
· Flammability	Not applicable.
· Lower and upper explosion limit	11
· Lower:	1.4 Vol %
· Upper:	10.9 Vol %
· Flash point:	Not applicable, as aerosol.
· Ignition temperature:	>200 °C
	Not determined.
• Decomposition temperature:	Not determined.
· pH	not determined.
· Viscosity:	N. (1. (
Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	0.55 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Aerosol
· Important information on protection of health a	
environment, and on safety.	
• Auto-ignition temperature:	
· Explosive properties:	nd
· · · · · · · · · · · · · · · · · · ·	nd Not determined.
	nd
· Solvent separation test:	nd Not determined. Not determined.
 Solvent separation test: Organic solvents: 	nd Not determined. Not determined. 100.0 %
 Solvent separation test: Organic solvents: VOC (EC) 	nd Not determined. Not determined. 100.0 % 550.0 g/l
 Solvent separation test: Organic solvents: VOC (EC) Solids content: 	nd Not determined. Not determined. 100.0 %
 Solvent separation test: Organic solvents: VOC (EC) Solids content: Change in condition 	nd Not determined. Not determined. 100.0 % 550.0 g/1 0.0 %
 Solvent separation test: Organic solvents: VOC (EC) Solids content: 	nd Not determined. Not determined. 100.0 % 550.0 g/l
 Solvent separation test: Organic solvents: VOC (EC) Solids content: Change in condition Evaporation rate 	nd Not determined. Not determined. 100.0 % 550.0 g/l 0.0 % Not applicable.
 Solvent separation test: Organic solvents: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical hazard class 	nd Not determined. Not determined. 100.0 % 550.0 g/l 0.0 % Not applicable.
 Solvent separation test: Organic solvents: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives 	nd Not determined. Not determined. 100.0 % 550.0 g/l 0.0 % Not applicable. ses Void
 Solvent separation test: Organic solvents: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases 	nd Not determined. Not determined. 100.0 % 550.0 g/1 0.0 % Not applicable. Ses Void Void
 Solvent separation test: Organic solvents: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives 	nd Not determined. Not determined. 100.0 % 550.0 g/1 0.0 % Not applicable. ses Void Void Extremely flammable aerosol. Pressurised container:
 Solvent separation test: Organic solvents: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases 	nd Not determined. Not determined. 100.0 % 550.0 g/1 0.0 % Not applicable. Ses Void Void

Printing date 02.03.2022

Version number 40 (replaces version 39)

Revision: 27.05.2021

Trade name: OPN-Cooling Spray

		(Contd. of page
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamma	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

 \cdot 10.4 Conditions to avoid No further relevant information available.

 \cdot 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

· LD/LC50 values relevant for classification:

CAS: 74-98-6 propane

Inhalative LC50/4 h >20 mg/l (rat)

CAS: 106-97-8 butane, pure

Inhalative LC50/4 h 658 mg/l (rat)

CAS: 75-28-5 isobutane

Inhalative LC50/4 h 658 mg/l (rat)

\cdot 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

GB

Printing date 02.03.2022

Version number 40 (replaces version 39)

Revision: 27.05.2021

(Contd. of page 5)

Trade name: OPN-Cooling Spray

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Not hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

×

×

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information		
 · 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA 	UN1950	
 · 14.2 UN proper shipping name · ADR/RID/ADN · IMDG · IATA 	UN1950 AEROSOLS AEROSOLS AEROSOLS, flammable	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN		
· Class	2 5F Gases.	
·Label	2.1	
· Class · Label	2.1 Gases. 2.1	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code Segregation Code 	Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre:	

Printing date 02.03.2022

Version number 40 (replaces version 39)

Revision: 27.05.2021

Trade name: OPN-Cooling Spray

	(Contd. of page 6
	Segregation as for class 9. Stow "separated from" class
	1 except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class
	2.
· 14.7 Maritime transport in bulk accord	ling to IMO
instruments	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	1L
• Excepted quantities (EQ)	Code: E0
(= t)	Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
• Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements $500\ t$
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

Abbreviations and acronyms:
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

- G

Printing date 02.03.2022

Version number 40 (replaces version 39)

Revision: 27.05.2021

Trade name: OPN-Cooling Spray

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases – Category 1A Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas • * Data compared to the previous version altered. (Contd. of page 7)

GB -