

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name OPN-Copper Spray

Unique formula identifier (UFI) 2V1N-15W3-W00N-HKGN

Other means of identification

Article number 63210
Tariff No 32082090

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Industrial use

Industrial use

Professional use

Paint, coating and lacquer

Sector of use Coating

Uses advised against Do not use for products which come into contact with foodstuffs.

Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

OPN-CHEMIE GmbH In der Au 14 57290 Neunkirchen

www.opn-chemie.de

Competent person responsible for the safety data sheet Barbara Angelika Gros-Petri e-mail (competent person) baerbel.petri@opn-chemie.de

1.4 Emergency telephone number

Emergency information service Poison Information Center Freiburg +49(0)761/19240

SECTION 2: Hazards identification

Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Hazard class and category	Hazard state- ment
2.3	Aerosols	Aerosol 1	H222,H229
3.3	Serious eye damage/eye irritation	Eye Irrit. 2	H319
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	STOT SE 3	H335
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	STOT SE 3	H336
4.1C	Hazardous to the aquatic environment - chronic hazard	Aquatic Chronic 2	H411

Code	Supplemental hazard information
EUH066	Repeated exposure may cause skin dryness or cracking

Remarks

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07, GHS09



(en) Page 1 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122 °F.
P501 Dispose of contents / container in accordance with national regulations of the disposal.

Additional labelling requirements

EUH066 Repeated exposure may cause skin dryness or cracking.

Buildup of explosive mixtures possible without sufficient ventilation.

Hazardous ingredients for labelling

Ethylacetate

Hydrocarbons, C9, aromatics

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Mixture of substances listed below with nonhazardous additions

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Butane	CAS No 106-97-8 EC No 203-448-7 REACH Reg. No 01-2119474691- 32-xxxx	25 - < 50	Flam. Gas 1A / H220 Press. Gas L / H280	
Ethyl acetate	CAS No 141-78-6 EC No 205-500-4 REACH Reg. No 01-2119475103- 46-xxxx	25 - < 50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	(1)
Propane	CAS No 74-98-6 EC No 200-827-9 REACH Reg. No 01-2119486944- 21-xxxx	10 - < 25	Flam. Gas 1A / H220 Press. Gas C / H280	

(en) Page 2 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Hydrocarbons, C9, aromatics	CAS No 64742-95-6 EC No 918-668-5 REACH Reg. No 01-2119455851- 35-xxxx	5 - < 10	Flam. Liq. 3 / H226 STOT SE 3 / H335 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	
Copper	REACH Reg. No 01-2119480154- 42-xxxx	1 - < 5	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	₹
Isobutane	CAS No 75-28-5 EC No 200-857-2 REACH Reg. No 01-2119485395- 27-xxxx	1 - < 5	Flam. Gas 1A / H220 Press. Gas C / H280	

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Copper	-	M-Factor (acute) = 10 M-Factor (chronic) = 10	500 ^{mg/} kg	Oral

3.3 Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take offi mmediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed none

(en) Page 3 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray. BC-powder.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

Hazardous combustion products

Carbon monoxide (CO). Carbon dioxide (CO2).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Storage class (LGK)

2 B

· Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Consideration of other advice

· Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

No further relevant information available.

(en) Page 4 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

this information is not available

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture

Relevant DNELs of components of the mixture

Televant Brezzo di componento di ale mixtare							
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Hydrocarbons, C9, aromatics	64742-95-6	DNEL	150 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects	
Hydrocarbons, C9, aromatics	64742-95-6	DNEL	25 mg/kg bw/day	Human, dermal	Worker (industry)	Chronic - systemic effects	
Copper		DNEL	20 mg/m³	Human, inhalatory	Worker (industry)	Acute - systemic effects	
Copper		DNEL	137 mg/kg bw/day	Human, dermal	Worker (industry)	Chronic - systemic effects	
Copper		DNEL	273 mg/kg bw/day	Human, dermal	Worker (industry)	Acute - systemic ef- fects	

Relevant PNECs of components of the mixture

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Ethyl acetate	141-78-6	PNEC	650 ^{mg/} l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)
Ethyl acetate	141-78-6	PNEC	1.65 ^{mg/} l	Aquatic organisms	Water	Intermittent release
Copper		PNEC	6.3 ^{µg/} l	Aquatic organisms	Freshwater	Short-term (single instance)
Copper		PNEC	5.2 ^{µg/} l	Aquatic organisms	Marine water	Short-term (single instance)
Copper		PNEC	230 ^{µg/} I	Aquatic organisms	Sewage treatment plant (STP)	Short-term (single instance)
Copper		PNEC	87 ^{mg/} kg	Aquatic organisms	Freshwater sedi- ment	Short-term (single instance)
Copper		PNEC	676 ^{mg/kg}	Aquatic organisms	Marine sediment	Short-term (single instance)
Copper		PNEC	65 ^{mg/} kg	Terrestrial organ- isms	Soil	Short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Do not spray in eyes. If required use tight-fitting goggles.

Skin protection

Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

(en) Page 5 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

Type of material

NBR: acrylonitrile-butadiene rubber.

Material thickness

> 0.7 mm

Breakthrough times of the glove material >480 minutes (permeation: level 6)

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Operate if possible out of doors or in a well-ventilated place. In case of inadequate ventilation wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Aerosol (Spray aerosol)

Colour Copper
Odour Solvent like

Initial boiling point and boiling range

Not applicable, as aerosol.*

Flammability (solid, gas)

flammable aerosol in accordance with GHS criteria

Flammability (solid, gas)

Explosive limits

2.2 vol% - 15 vol%

Flash point

Not applicable, as aerosol.*

Water solubility Insoluble

Vapour pressure 3.8 bar at 20 °C

6.8 bar at 50 °C

Density 0.7 g/ml at 20 °C

9.2 Other information

Other safety characteristics

* The finished mixture in an aerosol container is formed after addition of propellant. Several details are not measurable in an hermetic closed, pressurized container.

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

Physical stresses which might result in a hazardous situation and have to be avoided

High temperatures.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

(en) Page 6 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Copper		Oral	500 ^{mg/} kg

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eve irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

• Specific target organ toxicity - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Ordinance on systems for handling water-polluting substances (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK (Germany) 3, highly hazardous to water

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethyl acetate	141-78-6	EC50	2,306 ^{mg/} l	Aquatic invertebrates	24 h
Hydrocarbons, C9, aro- matics	64742-95-6	EL50	4.1 ^{mg/l}	Aquatic invertebrates	24 h
Hydrocarbons, C9, aromatics	64742-95-6	EC50	>99 ^{mg/} l	Microorganisms	10 min

(en) Page 7 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Ethyl acetate	141-78-6	Oxygen deple- tion	62 %	5 d		
Hydrocarbons, C9, aromatics	64742-95-6	Oxygen deple- tion	30.9 %	2 d		ECHA

12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Butane	106-97-8		1.09 (pH value: 7, 20 °C)	
Ethyl acetate	141-78-6	30	0.68 (pH value: 7, 25 °C)	
Propane	74-98-6		1.09 (pH value: 7, 20 °C)	
Isobutane	75-28-5		1.09 (pH value: 7, 20 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

> According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes

15 01 04 Metallic packaging

15 01 10 Packaging containing residues of or contaminated by dangerous substances 16 05 04 Containing hazardous gases in pressure containers (including halons)

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Page 8 / 12 (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN 1950
IMDG-Code UN 1950
ICAO-TI UN 1950

14.2 UN proper shipping name

ADR/RID/ADN AEROSOLS
IMDG-Code AEROSOLS
ICAO-TI Aerosols, flammable

14.3 Transport hazard class(es)

ADR/RID/ADN 2 (2.1)
IMDG-Code 2.1
ICAO-TI 2.1

14.4 Packing group Not assigned

14.5 Environmental hazards Hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)Additional information

Classification code 5F
Danger label(s) 2.1
Fish and tree



Environmental hazards Yes (hazardous to the aquatic environment)

Special provisions (SP) 190, 327, 344, 625

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D

International Maritime Dangerous Goods Code (IMDG)Additional information

Marine pollutant

Yes (hazardous to the aquatic environment)

Danger label(s) 2.1

Fish and tree



Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U
Stowage category -

International Civil Aviation Organization (ICAO-IATA/DGR)Additional information

Environmental hazards Yes (hazardous to the aquatic environment)

Danger label(s) 2.1



Special provisions (SP)A145, A167Excepted quantities (EQ)E0Limited quantities (LQ)30 kg

(en) Page 9 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

none of the ingredients are listed

Directive 75/324/EEC relating to aerosol dispensers

Classification of the gas/aerosol Extremely flammable

Labelling Pressurized container: may burst if heated. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.

Additional information

Deco-Paint Directive

VOC content 87.14 %

609.9 ^{g/}l

The maximum content of VOC of the product in a ready to use con-

dition

Maximum VOC content limit

Product category	Product subcategory	Coating	Туре	VOC g/l
Vehicle refinishing products	Special finishes	All types		840

Industrial Emissions Directive (IED)

VOC content 87.14 %

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)

Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Copper	7440-50-8	(8)	100

Legend

(8) All metals shall be reported as the total mass of the element in all chemical forms present in the release

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (Germany)

Ordinance on systems for handling water-polluting substances (Ordinance on facilities for handling substances hazardous

to water)(AwSV)

Water hazard class 3 (highly hazardous to water)

Technical instructions on air quality control (Germany)

Numbe	Group of substances	Class	Conc.	Mass flow	Mass con- centration	Notation
5.2.5	Organic substances		≥ 25 wt%	0.5 ^{kg/} h	50 ^{mg/} m³	3)

Notation

 A total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK) 2 B (Aerosol dispensers and lighters)

(en) Page 10 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

National inventories

Country	Inventory	Status
EU	REACH Reg.	Not all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet) 16.1

Alignment to regulation. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14 Insertion: UFI: 2V1N-15W3-W00N-HKGN

16.2 Abbreviations and acronyms

EINECS

Acute Tox. Acute toxicity.

Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures ADN

(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways).

ADR Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the Interna-

tional Carriage of Dangerous Goods by Road).

ADR/RID/ADN Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/

Aquatic Acute Hazardous to the aquatic environment - acute hazard. Aquatic Chronic Hazardous to the aquatic environment - chronic hazard.

Asp. Tox. Aspiration hazard. ATF Acute Toxicity Estimate. BCF Bioconcentration factor. BOD Biochemical Oxygen Demand.

CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances). CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

COD Chemical oxygén demand.

Dangerous Goods Regulations (see IATA/DGR). **DGR**

DMFI Derived Minimal Effect Level. DNEL Derived No-Effect Level.

EC50 Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 %

changes in response (e.g. on growth) during a specified time interval.

The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of EC No

substances commercially available within the EU (European Union).

European Inventory of Existing Commercial Chemical Substances. Éffective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test EL50

organisms

ELINCS European List of Notified Chemical Substances.

 EmS Emergency Schedule.

Eye Dam. Seriously damaging to the eye.

Irritant to the eye. Eye Irrit. Flam. Gas Flammable gas. Flam. Liq. Flammable liquid.

"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations. **GHS**

International Air Transport Association. IATA

IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA). **ICAO** International Civil Aviation Organization.

ICAO-TI Technical instructions for the safe transport of dangerous goods by air. **IMDG** International Maritime Dangerous Goods Code. IMDG-Code International Maritime Dangerous Goods Code.

Lagerklasse (storage class according to TRGS 510, Germany). LGK

Log KOW n-Octanol/water.

Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic en-M-Factor

vironment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of

a mixture in which the substance is present.

NLP No-Longer Polymer.

Persistent, Bioaccumulative and Toxic. **PBT** PNFC Predicted No-Effect Concentration.

Press. Gas Gas under pressure.

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals.

RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning

the International carriage of Dangerous goods by Rail).

STOT SE Specific target organ toxicity - single exposure.

SVHC Substance of Very High Concern.

Page 11 / 12 (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Copper Spray

Version number: 5.0 Date of compilation: 2015-06-11 Revision: 2023-05-24

TRGS Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany).

VOC Volatile Organic Compounds.

VPvB Very Persistent and very Bioaccumulative.

16.3 Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

16.4 Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

16.5 List of relevant phrases (code and full text as stated in section 2 and 3)

H220 Extremely flammable gas.
H222 Extremely flammable aerosol.
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.

H226 Flammable liquid and vapour.
H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

(en) Page 12 / 12