

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-UF 2001® Weld Separating Agent CLEAR

Version number: 2.0 Date of compilation: 26.01.2018 Revision: 26.04.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name OPN-UF 2001® Weld Separating Agent CLEAR

Unique formula identifier (UFI) 5PET-G50F-1006-SVR0

Other means of identification

Alternative name(s)

Article number 65157

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Industrial use Professional use

Sector of use Cleaning agent

Uses advised against Do not use for products which come into contact with foodstuffs.

Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

OPN-CHEMIE GmbH In der Au 14 57290 Neunkirchen

www.opn-chemie.de

Competent person responsible for the safety data sheet Barbara Angelika Gros-Petri e-mail (competent person) baerbel.petri@opn-chemie.de

1.4 Emergency telephone number

Emergency information service Poison Information Center Freiburg +49(0)761/19240

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class                      | Hazard class and category | Hazard state-<br>ment |
|---------|-----------------------------------|---------------------------|-----------------------|
| 3.3     | Serious eye damage/eye irritation | Eye Dam. 1                | H318                  |

Remarks

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms GHS05



Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P102 Keep out of reach of children. P280 Wear protective gloves/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a doctor.

P312 Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents / container in accordance with national regulations of the disposal.

<u>Hazardous ingredients for labelling</u> Isotridecanol, ethoxylated

(en) Page 1 / 9

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-UF 2001® Weld Separating Agent CLEAR

Version number: 2.0 Date of compilation: 26.01.2018 Revision: 26.04.2023

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.

### SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Mixture of substances listed below with nonhazardous additions

| Name of substance          | Identifier   | Wt%       | Classification acc. to GHS               | Pictograms |
|----------------------------|--|-----------|--|------------|
| Isotridecanol, ethoxylated | CAS No<br>69011-36-5<br>EC No<br>500-241-6<br>REACH Reg. No<br>01-2119976362-<br>32-xxxx | 10 - < 25 | Acute Tox. 4 / H302<br>Eye Dam. 1 / H318 |            |

| Name of substance          | Specific Conc. Limits | M-Factors | ATE                   | Exposure route |
|----------------------------|-----------------------|-----------|-----------------------|----------------|
| Isotridecanol, ethoxylated | -                     | -         | 500 <sup>mg/</sup> kg | Oral           |

3.3 Remarks

For full text of abbreviations: see SECTION 16

### SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take offi mmediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

(en) Page 2 / 9

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-UF 2001® Weld Separating Agent CLEAR

Version number: 2.0 Date of compilation: 26.01.2018 Revision: 26.04.2023

#### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray. BC-powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO). Carbon dioxide (CO2).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). collect spillage

sawdust

kieselgur (diatomite)

sand

universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Storage class (LGK)

10

Control of effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

No further relevant information available.

(en) Page 3 / 9

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-UF 2001® Weld Separating Agent CLEAR

Version number: 2.0 Date of compilation: 26.01.2018 Revision: 26.04.2023

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

this information is not available

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture

Relevant DNELs of components of the mixture

| Name of sub-<br>stance          | CAS No     | End-<br>point | Threshol<br>d level   | Protection<br>goal, route of<br>exposure | Used in           | Exposure time              |
|---------------------------------|------------|---------------|-----------------------|--|-------------------|----------------------------|
| Isotridecanol, eth-<br>oxylated | 69011-36-5 | DNEL          | 294 mg/m <sup>3</sup> | Human, inhalatory                        | Worker (industry) | Chronic - systemic effects |
| Isotridecanol, eth-<br>oxylated | 69011-36-5 | DNEL          | 2.080 mg/<br>kg       | Human, dermal                            | Worker (industry) | Chronic - systemic effects |

Relevant PNECs of components of the mixture

Relevant PNECs of components of the mixture

| Name of sub-<br>stance          | CAS No     | End-<br>point | Threshol<br>d level    | Organism                   | Environmental compartment    | Exposure time                |
|---------------------------------|------------|---------------|------------------------|----------------------------|------------------------------|------------------------------|
| Isotridecanol, eth-<br>oxylated | 69011-36-5 | PNEC          | 0,074 <sup>mg/</sup> l | Aquatic organisms          | Freshwater                   | Short-term (single instance) |
| Isotridecanol, eth-<br>oxylated | 69011-36-5 | PNEC          | 0,007 <sup>mg/</sup> l | Aquatic organisms          | Marine water                 | Short-term (single instance) |
| Isotridecanol, eth-<br>oxylated | 69011-36-5 | PNEC          | 0,015 <sup>mg/</sup> l | Aquatic organisms          | Water                        | Intermittent release         |
| Isotridecanol, eth-<br>oxylated | 69011-36-5 | PNEC          | 1,4 <sup>mg/</sup> l   | Aquatic organisms          | Sewage treatment plant (STP) | Short-term (single instance) |
| Isotridecanol, eth-<br>oxylated | 69011-36-5 | PNEC          | 0,604 <sup>mg/kg</sup> | Aquatic organisms          | Freshwater sedi-<br>ment     | Short-term (single instance) |
| Isotridecanol, eth-<br>oxylated | 69011-36-5 | PNEC          | 0,06 <sup>mg/</sup> kg | Aquatic organisms          | Marine sediment              | Short-term (single instance) |
| Isotridecanol, eth-<br>oxylated | 69011-36-5 | PNEC          | 0,1 <sup>mg/</sup> kg  | Terrestrial organ-<br>isms | Soil                         | Short-term (single instance) |

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Do not spray in eyes. If required use tight-fitting goggles.

Skin protection

Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

Type of material

NBR: acrylonitrile-butadiene rubber.

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Operate if possible out of doors or in a well-ventilated place. In case of inadequate ventilation wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

(en) Page 4 / 9

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-UF 2001® Weld Separating Agent CLEAR

Version number: 2.0 Date of compilation: 26.01.2018 Revision: 26.04.2023

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateLiquidColourColourlessOdourOdourless

Initial boiling point and boiling range  $$100\ ^{\circ}\text{C}$$  at 1,013 bar

Flammability (solid, gas) this material is combustible, but will not ignite readily

Explosive limits Not determined

Flash point

Auto-ignition temperature 360 °C
Water solubility Insoluble

Vapour pressure <0,1 hPa at 20 °C

Density 1 g/ml

9.2 Other information

Other safety characteristics There is no additional information

### SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided

High temperatures.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

| Name of substance          | CAS No     | Exposure route | ATE                   |
|----------------------------|------------|----------------|-----------------------|
| Isotridecanol, ethoxylated | 69011-36-5 | Oral           | 500 <sup>mg/</sup> kg |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

(en) Page 5 / 9

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-UF 2001® Weld Separating Agent CLEAR

Version number: 2.0 Date of compilation: 26.01.2018 Revision: 26.04.2023

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

#### SECTION 12: Ecological information

12.1 Toxicity

Ordinance on systems for handling water-polluting substances (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK (Germany) 1, slightly hazardous to water

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

12.7 Other adverse effects

Data are not available.

#### SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

(en) Page 6 / 9

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-UF 2001® Weld Separating Agent CLEAR

Version number: 2.0 Date of compilation: 26.01.2018 Revision: 26.04.2023

### **SECTION 14: Transport information**

14.1 UN number or ID number Not subject to transport regulations

14.2 Not relevant UN proper shipping name

14.3 Transport hazard class(es) None

14.4 Packing group Not assigned

14.5 Environmental hazards Non-environmentally hazardous acc. to the dangerous goods regu-

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)Additional information

Not subject to ICAO-IATA.

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

none of the ingredients are listed

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (Germany)

Ordinance on systems for handling water-polluting substances (Ordinance on facilities for handling substances hazardous to water) (AwSV)

1 (slightly hazardous to water)

Water hazard class

Technical instructions on air quality control (Germany)

| Number | Group of substances | Class | Conc.            | Mass flow            | Mass con-<br>centration | Notation |
|--------|---------------------|-------|------------------|----------------------|-------------------------|----------|
| 5.2.5  | Organic substances  |       | 10 - < 25<br>wt% | 0,5 <sup>kg/</sup> h | 50 <sup>mg/</sup> m³    | 3)       |

#### Notation

A total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK) 10 (Combustible liquids)

National inventories

| Country | Inventory  | Status                     |
|---------|------------|----------------------------|
| EU      | REACH Reg. | All ingredients are listed |

REACH Reg. REACH registered substances

Page 7 / 9 (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-UF 2001® Weld Separating Agent CLEAR

Version number: 2.0 Date of compilation: 26.01.2018 Revision: 26.04.2023

Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

| Section | Former entry (text/value)   | Actual entry (text/value)   | Safety-<br>relev-<br>ant |
|---------|---|---|--------------------------|
| 1.1     |   | Unique formula identifier (UFI):<br>5PET-G50F-1006-SVR0   | Yes                      |
| 1.2     | Relevant identified uses:<br>industrial use<br>professional use<br>consumer use (private households)  | Relevant identified uses:<br>Industrial use<br>Professional use   | Yes                      |
| 2.3     |   | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.   | Yes                      |
| 2.3     |   | Endocrine disrupting properties:  Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.   | Yes                      |
| 5.3     | Advice for firefighters: Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Wear fully protective suit. Wear self-contained breathing apparatus. | Advice for firefighters: In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.  | Yes                      |
| 16.3    | Key literature references and sources for data: - Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU - Regulation (EC) No. 1272/2008 (CLP, EU GHS)   | Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA). | Yes                      |

16.2 Abbreviations and acronyms

Acute Tox.

Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures ADN

(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)

**ADR** Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the Interna-

tional Carriage of Dangerous Goods by Road).

ATE Acute Toxicity Estimate.

CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances). CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Dangerous Goods Regulations (see IATA/DGR).
Derived Minimal Effect Level. **DGR** 

**DMEL DNEL** Derived No-Effect Level.

The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of EC No

substances commercially available within the EU (European Union). European Inventory of Existing Commercial Chemical Substances.

**EINECS ELINCS** European List of Notified Chemical Substances.

Seriously damaging to the eye. Irritant to the eye. Eye Dam.

Eye Irrit.

GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations.

IATA International Air Transport Association.

IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA).

**ICAO** International Civil Aviation Organization. **IMDG** International Maritime Dangerous Goods Code.

LGK Lagerklasse (storage class according to TRGS 510, Germany).

No-Longer Polymer. NLP

PBT Persistent, Bioaccumulative and Toxic. **PNEC** Predicted No-Effect Concentration.

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals.

Page 8 / 9 (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-UF 2001® Weld Separating Agent CLEAR

Version number: 2.0 Revision: 26.04.2023 Date of compilation: 26.01.2018

RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning

the International carriage of Dangerous goods by Rail).

Substance of Very High Concern.

Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany).

Very Persistent and very Bioaccumulative. **VPvB** 

16.3 Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

16.4 Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

16.5 List of relevant phrases (code and full text as stated in section 2 and 3)

> H302 Harmful if swallowed. H318 Causes serious eye damage.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Page 9 / 9 (en)