

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

### **Weld Separating Agents**

**OPN-UF 1000® Weld Separating Spray - silicon-free -**, solvent-free, water-free, highly concentrated, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60030**

**OPN-UF 2000® Weld Separating Spray - silicon-free -**, FIRE-PROOF Agent based on Aqueous emulsion - FIRE-PROOF Propellant, filled in Aluminium Mono Bloc Cans  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60043**

**OPN-Ceramic Welding Separating and Protection Spray, based on a dry ceramic protection coating, silicone free**, long-term protection against weld spatter, to be used at MIG/MAG welding and spot welding. When used for plasma and laser cutting, always observe the guidelines of the equipment manufacturer!  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60200**

**OPN-UF 2001® Welding Emulsion MILKY - silicon-free -**, milky-white ready for use **Base: Aqueous emulsion** in 20 liters Disposable Canister - with integrated run-out plug -, **Art.-No. 65110**

**OPN-UF 2001® Welding Emulsion MILKY, as above** but in 10 liters Disposable Canister, **Art.-No. 65107**

**OPN-UF 2001® Weld Separating Agent CLEAR - silicon-free -**, ready for use **Base: Aqueous emulsion** in 20 liters Disposable Canister - with integrated run-out plug -, **Art.-No. 65153**

**OPN-UF 2001® Weld Separating Agent CLEAR, as above** but in 10 liters Disposable Canister, **Art.-No. 65157**

**OPN-SF 20® Separating Oil Concentrate - silicon-free -**, solvent-free, highly concentrated, **dilutable with water 1:5 to 1:10** for individual concentration, for inert gas- and electro welding or undiluted as **robot separating oil**, in 10 liters Disposable Canister, **Art.-No. 65270**

**OPN-Special Separating Oil for Welding Robots, "Anti-spatter Protection Agent"**, silicone-and solvent-free, **ready for use concentrate**, prevents adhesion of weld spatters in gas jets  
in 5 liters and 20 liters Disposable Canister, 200 liters Disposable Barrel, **Article No. 65416, 65417, 65418**

**OPN-Special Coolant for the welding technology, colorless - with freeze protection up to -10°C** to use universally for all liquid-cooled welding and cutting equipment  
in 5 liters, 10 liters and 20 liters Disposable Canister, 200 liters Disposable Barrel,  
**Article No. 61096, 61099, 61097, 61098**

**OPN-Anti Spatter Grease, silicon-free spray grease** in patent-cap cans  
Content: 300 g, Packing Unit: 12 Cans/Carton, **Art.-No. 65010**

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

### Plastic Separating Agents

**OPN-Mold Release Spray for Plastic Processing, thermo- and duroplast**, silicon-free, wax-free, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60230**

**OPN-Separating Spray - contains silicon -**, for plastic processing - highly concentrated, use only if parts aren't re-treated, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60300**

### Lubricants

**OPN-PTFE-Spray**, dry & fat-free separating, lubricating and sliding agent, temperature-resistant, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61450**

**OPN-Long-Term Adhesive Lubricant Spray**, partly synthetic extreme lubricant, colour: light, centrifuge-resistant, ductile adhesive, penetrable, waterproof  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61310**

**OPN-Long-Term Adhesive Lubricant Spray with PTFE**, partly synthetic basis, colour: light, extreme adhesion, high lubricating effect because of PTFE, silicon-free  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61315**

**OPN-Chain- and Rope Spray** for maintenance of chains, ropes, slide bearings, strong adhesive, centrifuge-resistant. 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61250**

**OPN-Lubricating Metal Assembly Spray Alu Paste - ANTI-SEIZE -**, High-temperature lubricant from approx. -30°C to approx. +1.000°C, prevents burning to ashes, corrosion, abrasion  
**ATTENTION: NOT authorized for use on braking systems!**  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61501**

**OPN-Lubricating Metal Assembly Paste Anti-Seize - ALU BASE -**, application temperature ranges: As separating agent approx. -20°C to approx. +1.200°C, as lubricant approx. -20°C to approx. +240°C  
**ATTENTION: NOT authorized for use on braking systems!**  
in 500 g Brush Can, Packing Unit: 9 Cans/Carton, **Art.-No. 66075**

**OPN-Ceramic Paste Spray, white**, High-temperature lubricant from approx. -20°C to approx. +1.400°C prevents burning to ashes, corrosion, abrasion  
**ATTENTION: NOT authorized for use on braking systems!**  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61520**

**OPN-Ceramic Paste**, application temperature ranges: As separating agent approx. -20°C to approx. +1.400°C, as lubricant approx. -20°C to approx. +240°C  
**ATTENTION: NOT authorized for use on braking systems!**  
in 500 g Brush Can, Packing Unit: 9 Cans/Carton, **Art.-No. 66077**

**OPN-Copper Paste Spray**, High-temperature lubricant from approx. -30°C to approx. +1.100°C, prevents burning to ashes, corrosion, abrasion  
**ATTENTION: NOT authorized for use on braking systems!**  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61510**

Page - 2 -

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

**OPN-Copper-Paste**, application temperature ranges: As separating agent **approx. -25°C to approx. +1.200°C**, as lubricant **approx. -25°C to approx. +240°C**, **ATTENTION: NOT authorized for use on braking systems!**  
in 500 g Brush Can, Packing Unit: 12 Cans/Carton, **Art.-No. 66076**

**OPN-Spray Grease white**, silicon-free, light all-round grease  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61470**

**OPN-Spray Grease with PTFE** for long-term grease spots, very good adhesion, prevents corrosion, reduces abrasion, greases hinges, bearings, chains, ropes, rolls etc.  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61425**

**OPN-Universal Adhesive Grease**, white, strong adhesive, versatile use  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61300**

**OPN-Food Adhesive Grease Spray white, NSF-registered, H1**, for use in the food industry  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61330**

**OPN-Silicone Spray S**, grease-free lubricant, separating and lubricating agent  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans, **Art.-No. 60300**

**OPN-Silicone Spray P, Solvent-free**, grease-free lubricant, separating and lubricating agent  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans, **Art.-No. 60306**

**OPN-Silicone Spray H1, NSF-registered**, for use in the food industry  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60316**

**OPN-Food Lubricating Oil Spray and Stainless Steel Care Oil Spray H1, NSF-registered**, for maintenance and care of machines and equipment in the food sector, \* cares \* smears \* removes rust \* protects contacts \*, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61654**

**OPN-Silicone GREASE Spray**, comes fluid out of the can – thickens slightly after exhausting the air from around the product des loosening agents an, **long-term lubricant, highly concentrated**, can be used wherever conventional greases do not support sufficient lubricating effect, water displacement and long-term grease effects, usable for metal, rubber, plastics etc., temperature-resistant from **approx. -30°C to approx. +240°C**  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60355**

**OPN-Cutting Oil Spray**, without aggressive additives, for drilling, thread cutting, broaching etc. for steel, stainless steel, non-ferrous metal  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60605**

**OPN-Cutting Oil**, as above, but in 5 liters Disposable Canister, **Art.-No. 60635**

**OPN-Foam Cut Spray**, **extreme strong adherence quality**, foaming, extreme strong adhering high performance cutting oil with additives - therefore directed, economical and rational to process  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60615**

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

**OPN-High-Performance Cooling Lubricant**, for forced-air cooling of saws and thread cutting machinery, produces a milky emulsion if diluted with Water, in 5 liters Disposable Canister, **Art.-No. 58140**

**OPN-High-Performance Cooling Lubricant, as above**, in 10 liters Disposable Canister, **Art.-No. 58141**

**OPN-High-Performance Cooling Lubricant, as above**, in 20 liters Disposable Canister, **Art.-No. 58142**

**OPN-High-Performance Cooling Lubricant, as above**, in 30 liters Disposable Canister, **Art.-No. 58143**

**OPN-High-Performance Cooling Lubricant, as above**, in 200 liters one-way-bulks, **Art.-No. 58144**

## **Corrosion Protection-Products and Rust Remover**

**OPN-Long-Term Corrosion Protection transparent**, ductile adhesive, wax-like film, protects all steel- and metal parts, tools- and form conserver, **highly penetrable, displaces moisture**  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63440**

**OPN-Maintenance Oil Spray**, Multi-Spray for care and maintenance of equipment and machinery \* maintains \* lubricates \* loosens rust \* protects \*  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61650**

**OPN-Maintenance Oil, as above**, in 5 liters Disposable Canister, **Art.-No. 61660**

**OPN-Stainless Steel Care Oil Spray**, Solvent-free, removes contaminations, protects and gives long-lasting shine,  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63235**

**OPN-Stainless Steel Care Oil, as above**, in 5 liters Disposable Canister, **Art.-No. 63270**

**OPN Stainless Steel Care Oil Spray Oil H1, NSF registered**, maintains and protects stainless steel parts in the food and beverage industry, **see Page 3, Position 8 OPN-Food Tech Lubricating Oil Spray, Art.-No. 61654**,  
400 ml Content, 520 ml Cans Volume, Packing Unit: 12 Cans/Carton

**OPN-Stainless Steel Quick Polishing Spray**, cleans and cares, protects all stainless steel surfaces in one step  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63236**

**OPN-Contact Spray - CLEAR -**, displaces moisture, dries contacts, removes ignition problems, removes and protects from oxidation  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60456**

**OPN-Super Multi Spray OP 50 S - Multi Purpose Spray** = Penetrating oil, contact spray, rapid rust remover, corrosion protection, lubricant, „cleans - cares - protects“  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60400**

**OPN-Super Multi Spray OP 50 PLUS - with PTFE - High-performances-multi purpose spray with long-term effect** = penetrating oil, contact spray, rapid rust remover, corrosion protection, lubricant  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60406**

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

**OPN-Rust Remover MOS 2**, removes strongest rust compounds, tar spots and other contaminations, deresinifies, prevents squeaking and creaking

**300 ml Content, 405 ml Can Volume**, Packing Unit: 12 Cans/Carton, **Art.-No. 60501**

**OPN-Rust Remover MOS 2**, removes strongest rust compounds, tar spots and other contaminations, deresinifies, prevents squeaking and creaking

**400 ml Content, 520 ml Can Volume**, Packing Unit: 12 Cans/Carton, **Art.-No. 60511**

**OPN-Rust Remover MOS 2**, as above, in 5 liters Disposable Canister, **Art.-No. 66350**

**OPN-Rust Remover - CLEAR -**, removes strongest rust compounds, undermines moisture, prevents squeaking and creaking, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60439**

**OPN Rust-Shock®**, the "chemical wrench" with double effect - due to "cold shock" and the associated material shrinkage as well as rapid penetration of high-performance oils all problems with rusted screw and plug connections are fast dissolved

500 ml Content, 650 ml Can Volume, Packaging Unit: 12 Cans/Carton, **Art.-No. 60555**

**OPN-Aluminium Spray Shiny Metallic - MIRROR FINISH -**, high temperature resistance

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63010**

**OPN-Aluminium Spray - HIGH ABRASION RESISTANT - matt - shiny metallic**

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63020**

**OPN-Chrome-Gloss Spray**, chrome shine effect for metal surfaces

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63201**

**OPN-Zinc Spray - Zinc Gray - ZINC PRIMER** - extreme high corrosion protection.

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63110**

**OPN-Zinc Spray, zinc-like-bright**

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63100**

**OPN-Zinc Repair Spray - bright silver -**, colour similar new galvanizing

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63120**

**OPN-Zinc Repair Spray T Y P E II, silver-bright, matt-abrasion-resistant**

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63122**

**OPN-Zinc Repair Paint, as above**, in 1 liter tin plate cans,

Packing Unit: 6 Cans/Carton, **Art.-No. 68250**

**OPN-Stainless Steel Repair Spray**, high temperature resistance, abrasion-resistant, quick-drying,

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63200**

**OPN-Brass Spray**, abrasion-resistant, fast-drying

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63220**

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

**OPN-Copper Spray**, abrasion-resistant, quick drying  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63210**

**OPN-Long Term Primer „Rust-Stop“ auburn**, reliable anti corrosion primer  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 66410**

**OPN-Long Term Primer „Rust-Stop“ auburn, as above**,  
in 1 liter tinplate patent lidded cans, Packing Unit: 6 Cans/Carton, **Art.-No. 66415**

**OPN-Long Term Primer „Rust-Stop“ grey**, reliable anti corrosion primer  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 66420**

**OPN Rust Converter**, rust stabilization and reliable corrosion protection for all iron and steel parts, stops rust even in the initial phase and makes it inactive, forms a black reaction layer below which no further corrosion takes place, the dried protective film is scratch-resistant and doesn't flake off also after years, **non-toxic**, indoor and outdoor use, **free of heavy metals and very economical in use**  
Content: 1 liter, 5 liters, 10 liters, **Art.-No. 66403, 66401, 66407**

**OPN-Underbody Coating black**, for the motor vehicle-sector, - **bitumen-free** -, over varnishable, quick-drying, permanently elastic, salt- and splash water resistant  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 66435**

**OPN-Cavity Sealing light**, for the MOTOR VEHICLE-Sector, Long-term Corrosion Protection, salt- and splash water resistant  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 66478**

**OPN-Clear Coat Spray**, flexible protection coating, prevents from atmospheric exposures, moisture etc.,  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63430**

**OPN-Varnish Spray matt black, „Forge lacquer“**  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63410**

## **Cleaner and Degreaser**

**OPN-Spray Cleaner = Degreaser, Rapid Cleaner, 97% Agent**  
**High-Performance Product** - *very strong cleaning- and loosening effect - contains acetone*  
- *smallest quantities achieve the desired effect*  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60700**

**OPN-Brake Cleaner Spray - cleans brake- and clutch parts - 97% active substance**  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60707**

**OPN-Degreaser-Spray – degreases and cleans in one step metals, glas, ceramics, etc. - 97% active substance**  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60746**

**OPN-Oil Stain Remover**, removes easily and quickly stubborn stains from **solid lubricants and motor oil, gear oil, heating oil, diesel fuel, etc., of concrete, interlocking stone, etc.**  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.No. 60695**

Page - 6 -

**OPN-CHEMIE OTTO PETRI GmbH, Postfach 17 40, D-57278 Neunkirchen/Germany**  
**Phone: +49 (0) 2735/7725-0** **Fax: +49 (0) 2735/7725-90**  
**Internet: [www.opn-chemie.com](http://www.opn-chemie.com)** **e-Mail: [info@opn-chemie.de](mailto:info@opn-chemie.de)**

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

**OPN-Carburetor Cleaner Spray**, for cleaning of 2- and 4-stroke engines  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60772**

**OPN-Industrial Cleaner Spray**, highly concentrated cleaner for industry and trade - removes adhesive residues, grease, oil, etc.  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60481**

**OPN-Citrus-Cleaner** – *contains natural orange terpenes - fresh smell*  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60490**

**OPN-Universal Foam Cleaner, Citrus scent**, removes oil, grease, silicon etc. from stainless steel, plastics, glass etc.  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60800**

**OPN-Shine-Cleaning Spray**, cleans and protects in one operation chrome, stainless steel, aluminium, etc., high-quality hard waxes provide a long-lasting shine  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61715**

**OPN-Cockpit Care Spray**, silicon-free, with citrus fragrance  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61030**

**OPN-Car Care Spray Foam, \* tire, \* rim, \* cockpit, \* rubber care**  
**4 car care maintenance products in ONE**  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60861**

**OPN-Compressed Air Spray**, removes dust and dirt from photo/optic equipment, keyboards, modelling etc., „HIGHLY FLAMMABLE“, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 64503**

**OPN-Adhesive and Sealant Remover, EXTRA STRONG**, dissolves adhesives, sealings and sealant residues, coatings and paints, resins, solid burnt oil, grease, tar, oil, coal residues, etc., and allows removal  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60751**

**OPN-Pickling Spray**, dissolves paints and coatings from steel, aluminum, wood, etc.  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60749**

**OPN-Anti-Graffiti Spray - for concrete** - removes most paints and coatings from concrete surfaces and smooth stone, glass, ceramics, steel, etc.  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60705**

**OPN-Anti-Graffiti Spray - especially for signs** - cleans contaminated traffic- and mandatory signs,  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60701**

**OPN-PU Foam Cleaner**, with special screw ring and additional spray nozzle - to process and w i t h and w i t h o u t gun, 500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60730**

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

**OPN-Orange Oil cleaner**, universal product for all cleaning areas, removes grease, stains, odors and more based on pure, ethereal orange and citrus oils, bottled in 500 ml bottles  
Packing Unit: 20 Cans/Carton, **Art.-No. 69450**

**OPN-Orange Oil cleaner**, as above, bottled in 1 liter bottles, Packing Unit: 12 Cans/Carton, **Art.-No. 69451**

**OPN-Cold Cleaner**, removes oil, grease, tar, wax etc., emulsifies with water  
in 30 liters Disposable Canister, **Art.-No. 16020**

**OPN-Cold Cleaner**, as above in 10 liters Disposable Canister, **Art.-No. 16021**

**OPN-High Pressure Cleaner Concentrate**, dilutable with water 1:5 to 1:10  
in 30 liters Disposable Canister, **Art.-No. 16141**

**OPN-High Pressure Cleaner Concentrate**, as above in 10 liters Disposable Canister, **Art.-No. 16140**

**OPN-Industrial and Universal Cleaner Concentrate**, removes strongest contaminations,  
1:5 to 1:20 dilutable with water, in 10 liters Disposable Canister, **Art.-No. 16121**

**OPN-Industrial and Universal Cleaner Concentrate**, as above  
in 30 liters Disposable Canister, **Art.-No. 16131**

**OPN-Machine Cleaner Concentrate**, removes oil, grease etc., dilutable with water 1:10 to 1:50  
in 10 liters Disposable Canister, **Art.-No. 16061**

**OPN-Machine Cleaner Concentrate**, as above in 30 liters Disposable Canister, **Art.-No. 16063**

**OPN-Neutral Cleaning Concentrate**, for glass, tiles etc., removes oil, grease etc.,  
dilutable with water, in 10 liters Disposable Canister, **Art.-No. 16105**

**OPN-Neutral Cleaner Concentrate**, for glass, tiles, plastic etc., versatile cleaner,  
dilutable with water, no duty of labelling, in 10 liters Disposable Canister, **Art.-No. 16115**

## Other Products – Miscellaneous

**OPN-Construction Marking Spray - sprayable overhead** \*\*\* 500 ml Content \*\*\* , 650 ml Can Volume  
Packing Unit: 12 Cans/Carton

Art.-No. 63557 - Color orange

Art.-No. 63558 - Color blue

Art.-No. 63559 - Color green

Art.-No. 63560 - Color red

Art.-No. 63561 - Color black

Art.-No. 63562 - Color white

Art.-No. 63563 - Color yellow

Art.-No. 63550 - Color luminous yellow

(„signal day-glow color“)

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

Art.-No. 63551 - Color	l u m i n o u s	<u>red</u>	(„signal day-glow color“)
Art.-No. 63552 - Color	l u m i n o u s	<u>red-orange</u>	(„signal day-glow color“)
Art.-No. 63553 - Color	l u m i n o u s	<u>orange</u>	(„signal day-glow color“)
Art.-No. 63554 - Color	l u m i n o u s	<u>green</u>	(„signal day-glow color“)
Art.-No. 63555 - Color	l u m i n o u s	<u>pink</u>	(„signal day-glow color“)
Art.-No. 63556 - Color	l u m i n o u s	<u>blue</u>	(„signal day-glow color“)
Art.-No. 63564 - Color	l u m i n o u s	<u>yellow-orange</u>	(„signal day-glow color“)

### OPN-Universal Marking Spray

360°-Special Valve - sprayable in all positions - For use in forestry, woodworking industry and civil engineering, metalworking industry, etc. \*\*\* **500 ml Content** \*\*\* , **650 ml Cans Volume**

Packing Unit: 12 Cans/Carton

Art.-No. 63507 - Color	o r a n g e	
Art.-No. 63508 - Color	b l u e	
Art.-No. 63509 - Color	y e l l o w	
Art.-No. 63511 - Color	g r e e n	
Art.-No. 63512 - Color	r e d	
Art.-No. 63513 - Color	b l a c k	
Art.-No. 63514 - Color	w h i t e	
Art.-No. 63500 - Color	l u m i n o u s	<u>yellow</u> („signal day-glow color“)
Art.-No. 63501 - Color	l u m i n o u s	<u>red</u> („signal day-glow color“)
Art.-No. 63502 - Color	l u m i n o u s	<u>red-orange</u> („signal day-glow color“)
Art.-No. 63503 - Color	l u m i n o u s	<u>orange</u> („signal day-glow color“)
Art.-No. 63504 - Color	l u m i n o u s	<u>green</u> („signal day-glow color“)
Art.-No. 63505 - Color	l u m i n o u s	<u>pink</u> („signal day-glow color“)
Art.-No. 63506 - Color	l u m i n o u s	<u>blue</u> („signal day-glow color“)
Art.-No. 63510 - Color	l u m i n o u s	<u>yellow-orange</u> („signal day-glow color“)

**OPN-Acrylic-Based Spray Paint in 142 different RAL colors** - very high quality, abrasion resistant and highly pigmented - very good colour matching, not gasoline resistant, quick drying and exterior painting is guaranteed.

400 ml Content, 520 ml Can Volume, Packing Unit: 6 Cans/Carton, **Art.-No. 63435**

### OPN Signing Spray, for fast and clean signing works

400 ml Content, 520 ml Cans Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63690**

Art.-Nr. 63690 - color	l u m i n o u s	<u>red-orange</u>	(„signal day-glow color“)
Art.-Nr. 63691 - color	l u m i n o u s	<u>orange</u>	(„signal day-glow color“)
Art.-Nr. 63692 - color	l u m i n o u s	<u>yellow-orange</u>	(„signal day-glow color“)
Art.-Nr. 63693 - color	l u m i n o u s	<u>yellow</u>	(„signal day-glow color“)
Art.-Nr. 63694 - color	l u m i n o u s	<u>red</u>	(„signal day-glow color“)
Art.-Nr. 63695 - color	l u m i n o u s	<u>green</u>	(„signal day-glow color“)
Art.-Nr. 63696 - color	l u m i n o u s	<u>blue</u>	(„signal day-glow color“)
Art.-Nr. 63697 - color	l u m i n o u s	<u>purple</u>	(„signal day-glow color“)
Art.-Nr. 63698 - color	l u m i n o u s	<u>pink</u>	(„signal day-glow color“)
Art.-Nr. 63700 - color	y e l l o w		
Art.-Nr. 63701 - color	b l a c k		
Art.-Nr. 63702 - color	b r o w n		

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

Art.-Nr. 63703 - color orange  
Art.-Nr. 63704 - color blue  
Art.-Nr. 63705 - color green  
Art.-Nr. 63706 - color white  
Art.-Nr. 63707 - color red  
Art.-Nr. 63708 - color light blue

**OPN-Extinguishing spray** - to remove - which means cover - invalid or incorrect labels on cardboard boxes and other packaging - **Color:** Beige, 400 ml Content, 520 ml Cans Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63710**

**OPN-Belt- and V-Belt Spray**, raises the life-time and provides secure contact for belt pulleys, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61270**

**OPN-Leak Detector Spray** for detecting leaky spots on gas- and compressed air pipes  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 62010**

**OPN-Leak Detector**, as above, ready to use in 5 liters Disposable Canister, **Art.-No. 66012**

**OPN-Leak Detector**, as above, ready to use in 30 liters Disposable Canister, **Art.-No. 66010**

**OPN-Leak Detector Spray, DIN-DVGW-Reg.-No. NG-5170BR5843**, for locating leaks in gas and compressed air lines, 400 ml Content, 650 ml Cans Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 62021**

**OPN-Leak Detector Spray, cold resistant up to -15°C**, for detecting leaks on gas- and compressed air lines, 400 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 62031**

**OPN-Crack Testing Agent, red dye penetrant**, for non-destructive material testing  
*tested according to DIN EN ISO 3452-2*  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 64100**

**OPN-Developer white**, for non-destructive material testing  
*tested according to DIN EN ISO 3452-2*  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 64050**

**OPN-Special Cleaner**, for removing the leak detection agent  
*tested according to DIN EN ISO 3452-2*  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 64215**

**OPN-Antistatic Spray**, with citrus fragrance, for prevention and removal of electrostatic charge  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61100**

**OPN-Shoe Deodorant Spray**, fresh smell for feet and shoes,  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61956**

**OPN-Start Up Spray**, for problem-free engine starting  
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61055**

Page - 10 -

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

**OPN-De-Icer Spray**, for car screens

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61170**

**OPN-Cooling Spray**, cooling effect down to **approx. -45°C**, fit-up aid - shrinks metal parts, rapid recognition of thermal failures, „**HIGHLY FLAMMABLE**“

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61011**

**OPN-Power Spray Glue - universally usable - contact- and montage glue** for paper, cardboard, polystyrene, felt, metal, many plastics and foams, wood, textile canvas, insulating mats etc., **very high glue power, adjustable special spray nozzle** – because of that economical and exactly doseable  
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 48580**

**OPN-Spray Handle "Pistol Grip Pro"**, turns any spray can into a spray pistol, which affords the effortless spraying of large areas. **Art.-No. 69005**

**OPN-Manual Pump Sprayer**, 0,5 liter filling volume, **Art.-No. 69050**

**OPN-Manual Pump Sprayer**, 1,0 liter filling volume, **Art.-No. 69010**

**OPN-Atomiser**, 500 ml filling volume, **active substance container made of tinfoil** with fine atomising spray attachment, specialy developed for OPN UF 2001® Welding Emulsion MILKY and OPN UF 2001® Weld Separating Agent CLEAR, **Art.-No. 69001**

**OPN-Pump Handle Atomiser**, for pressure inflation, with VITON seal - chem. resistant, 1,5 liter filling volume, **Art.-No. 69070**

**OPN-Aluminum-Air Sprayer**, aluminum case, fillable with max 0,5 liter, compl. with 2 spray heads, for filling over tire inflator, **DO NOT FILL with aggressive, alkaline and acidic fluids.**

(Filler Neck Art. No. 69096 = Adapter for compressed air lines at extra charge), **Art.-No. 69075**

**Filler Neck for Art.-No. 69075** - allows pressure buildup via compressed air lines, **Art.-No. 69096**

**OPN-Drain Tap** for 5 liters Canister, **Art.-No. 59153**

**OPN-Drain Tap** for 10 liters Canister, **Art.-No. 59151**

**OPN-Drain Tap** for 20 liters and 30 liters Canister, **Art.-No. 59150**

At the following products we have to reduce our warranty to **max. 12 months**:

**OPN-Pickling Spray, Art.-No. 60749**

**OPN-Anti Graffiti Spray for concrete, Art.-No. 60705**

**OPN-Industrial Cleaner, Art.-No. 60481**

**OPN-Adhesive and Sealant Remover, Art.-No. 60751**

**OPN-Power Spray Glue, Art.-No. 48580**

# OPN – CHEMIE

Top Quality at Fair Market Prices

## Delivery Overview - Production Range 01.20

Products which could also be delivered in smaller quantities from stock  
Special Filling on Demand

OPN-Citrus Cleaner, Art.-No. 60490

OPN-Rust Converter, Art.-No. 66403 + 66401 + 66407

OPN-High-Performance Cooling Lubricant, Art.-No. 58140 + 58141 + 58142 + 58143 + 58144

At the following products we have to reduce our warranty to max. 6 months:

OPN-Zinc Repair Paint, Art.-No. 68250

OPN-Long Term Primer "Rust Stop" auburn, Art.-No. 66415

*For all other products the warranty is 24 months  
- proper storage and handling provided -*

*The products manufactured by us are only intended for professional use!*

UF 1000®, UF 2000®, UF 3000®, UF 2001®, SF 20®, OPN Rust-Shock® as well as  
OPN-CHEMIE® and the OPN-CHEMIE company logo are registered and internationally  
protected word marks and trademarks of OPN-CHEMIE OTTO PETRI GmbH,  
D-57290 Neunkirchen-Siegerland, GERMANY